

SMART ELECTRONIC COMPONENTS



Kompetenz in Digital Signage

Hardware und Software

ADHESIVE TRANSPARENT LED

Technologie

Adhesive Transparent LEDs werden direkt auf eine Scheibe „aufgeklebt“.

Die LEDs sind staub- und wasserdicht in einen flexiblen Kunststoffverbund eingeschlossen.



Vorteile

- Bautiefe: max. 3 mm
- Gewicht: 1-3 kg / m²
- Transparenz: bis 86%
- Helligkeit: bis 9000 nit
- Hoher Einblickwinkel: 160° - 170°
- sehr gute Wärmeableitung
- einfache Installation
- flexible Größenkonfiguration
- kosteneffizient




ADHESIVE TRANSPARENT LED

Vorderseite



ADHESIVE TRANSPARENT LED

Rückseite




ADHESIVE TRANSPARENT LED

Installation



1. Tear open the centrifugal membrane.



2. Adhere the screen onto the glass surface.




3. Insert the receiving cards at screen edge.



4. Connect the media player & power converter to the screen.



ADHESIVE TRANSPARENT LED



ADHESIVE TRANSPARENT LED



ADHESIVE TRANSPARENT LED



ADHESIVE TRANSPARENT LED



ADHESIVE TRANSPARENT LED




ADHESIVE TRANSPARENT LED

Anwendungsbeispiele



ADHESIVE TRANSPARENT LED

Anwendungsbeispiele





NextGad GbR.

Thomashofstr. 27-29
76228 Karlsruhe

Telefon: +49 (0)721 – 46 471 241
Fax: +49 (0)721 – 94 3000 59

Web: www.nextgad.eu
Mail: info@nextgad.eu